



Jemlakin




# PFAS Point-Of-Use Filter Options




331-713 • 8/31/2023



## NFS Emōj an Teej e, PFAS-Kain Kadiklak an Dān Liklik (Boin-in-Kōjerbale kain)




NSF ej juōn doulul eo ej māke lak ian im ej kamol ta eo ri kōmman eo ej kleim kake kein liklik aibōj. Nān kamol nān an Per- and Polyfluoroalkyl Substances (PFAS, Kōkkan ko rekajur), juōn kein liklik ej aikuj in kadiklak joñan eo ej 1,500 mottan kajojo trillion (ppt) Perfluorooctane sulfonic acid (PFOS, Perfluorooctane ajet eo ekajur) +PFOA nān diklak jān 70 ppt PFOA m PFOS ilo joñan aitok in an kein liklik eo mour.

Kein liklik ko kein rejañin de lale jān Department of Health (DOH, Rā eo an Ejmour). Ejjab juon laajrak eo an aolep kein liklik im ej eman ekar nān NSF jekjek nān jolok PFAS. Jekar kakobaiki kōmmeleje kein ilo Jānwōde 2023. Lale peij eo anlain an jikin eo ekar kōmmane (ilo Kajin Pälle wōt) nān melele ko rekāāl tata. Māke-kōmmane-ippām kōmmeleje ko rej koba ilo aolep jikin ko, akō jōt armij remāroñ in aikuj jibāñ an rijerbal. Nān elaplok melele ko ikijen wawen lale dān, lale [Wawen Lale Dān ilo Mweo Imōm nān PFAS 331-699 \(PDF-ilo Kajin Pälle\)](#) ilo kilen kadiklak joñan PFAS ilo dān in bojet.

Kōmbani	PFAS Liklik Jemānāe	Kain Liklik	Onean kein Liklik	Joñan Aitok in an Kein Liklik Mour (Jikejuul in Kakāāl)	Joñan an tor dān	Onean Ukōt Kein Liklik eo	Jabdewōt bar Kajitōk
A.O Smith <a href="#">Kein Liklik Dān nān Icebook &amp; Jikin Kakwōj Moñā   A. O. Smith (aosmithatlowes.com) (ilo Kajin Pälle)</a>	AO-FF	<b>Icebook/Jikin Kakwōj Mōñā</b>  <b>Do-it-Yourself Installation</b> Choose a location to mount filter system. The ideal location depends on the design of your refrigerator. Make sure to make the hole, the system can be installed later than water line. Filter must sit upright. It is not susceptible to twisting/torsion. Do not install in open sunlight. Filter spot location to light may render plastic components.  <small>See system manual for complete installation instructions.</small> 	\$55	200 kañan (757 Lita) ak 6 allōñ	½ kañan (1.9 Lita) kajojo minit	\$30	1 yiiō in kakāāl ñe ejjab eman an jerbal
A.O Smith <a href="#">Kein Liklik Dān nān Bojet   A. O. Smith (aosmithatlowes.com) (ilo Kajin Pälle)</a>	AO-MF-ADV	<b>lumin Bojet</b>  <b>Do-it-Yourself Installation</b> The System filter must be installed less than three feet away from the cold-water inlet valve. Make sure you have at least 20 inches of clear available for connections having an additional 3 inches of clearance from the base of the cartridge for easy replacement.  <small>Note: We recommend using an approved or certified professional if drilling is required.</small>  <small>System can be installed vertically or horizontally.</small>	\$110	784 kañan (2967 Lita ) ak 6 allōñ	1 ½ kañan (5.7 Lita) kajojo minit	\$77	1 yiiō in kakāāl ñe ejjab eman an jerbal
A.O Smith <a href="#">2-Alen Nickel Kein Liklik   A. O. Smith (aosmithatlowes.com)(ilo Kajin Pälle)</a>	AO-US-200	<b>2 Alen Kein Liklik lumin Bojet</b>  <b>Do-it-Yourself Installation</b> Select a space under your sink for the filter that is at least 12" from the bottom of your cabinet and allows for easy access to a cold water supply line. Faucet may be mounted on sink using an existing hole for a sprayer nozzle or soap dispenser, or by drilling a hole no more than 1/2" in diameter. Be sure location of faucet allows space to extend slightly past the edge of the sink.  <small>Note: We recommend using an approved or certified professional if drilling is required.</small> 	\$139	500 kañan (1893 Lita) ak 6 allōñ	½ kañan (1.9 Lita) kajojo minit	\$66 (ruo kōbban)	1 yiiō in kakāāl ñe ejjab eman an jerbal

Kōmbani	PFAS Liklik Jemānāe	Kain Liklik	Onean kein Liklik	Jikejuul in Joñan Aitok in an Kein Liklik Mour	Joñan an tor dān	Kakāāl Onean kein Liklik	Jabdewōt bar Kajitōk
Aquasana <a href="#">Aquasana Mijin in Karreo Dān   Kein Liklik Aibōj ilo Ran Counter ej kōjerbale jarom</a> (ilo Kajin Pälle)	AQ-CWM2-B	Ran-counter jikin 	\$200	300 kañan (1136 Lita) ak 6 allōñ	½ kañan (1.9 Lita) kajojo minit	\$60 (ruo kōbban)	1 yiiō in kakāāl ñe ejjab eman an jermal, 2-paak in kein liklik ej bar iwaj.
Aquasana <a href="#">3-Alen Mokaj an Toor lumin Bojet Kein Liklik Dān   Aquasana</a> (ilo Kajin Pälle)	AQ-5300+.55	3 Alen Kein Liklik, lumin Bojet im emōj an jenolak 	\$225	800 kañan (3028 Lita) ak 6 allōñ ko	¾ kañan (2.8 Lita) kajojo minit	\$80 (jilu kōbban)	1 yiiō in kakāāl ñe ejjab eman an jermal
Cyclopure <a href="#">Purefast™   Cyclopure</a> (ilo Kajin Pälle)	Purefast	Cartridge ñan Lowaan Brita Pijja 	\$45	65 kañan (246 Lita) kajojo kein liklik	1 pijja (1.77 Lita) in aibōj ej bōk 20 minit ñan liklik	\$45 kajojo kein liklik	Ej deļoñ ilo juōn Brita kein liklik in dān, Brita pijja ejjab koba ippān. Kein liklik ej iwaj ippān onean jilkinlak ñan kein liklik ko emōj kōjerbale.

Kōmbani	PFAS Liklik Jemānāe	Kain Liklik	Onean kein Liklik	Jikejuul in Joñan Aitok in an Kein Liklik Mour	Joñan an tor dān	Onean Ukōt Kein Liklik eo	Jabdewōt bar Kajitōk
Hydroviv <a href="#">Hydroviv Filter ñan Mweo Imōm   Hydroviv</a> (ilo Kajin Pälle)		Emāroñ in jermal ilo Iceboqok/Jikin Kakwōj Moña akō lumin Bojet eo ej koneek ñan bar juōn bojet. 	\$175 kajojo	6 allōñ		\$87	Kein liklik rej oktak bwe en emanlak dān ilo ijo kwōj pād ie
KineticoPRO <a href="#">KPMF HC610-PFAS - PFAS Series, 10" PFOA/ PFOS cartridge in kadiklak liklik   KineticoPRO</a> (ilo Kajin Pälle)	HC Series KPMF HC610- PFAS	lumin Bojet, ej koneek ñan bar juōn bojet 		2000 kañan (7571 Lita)	2¾ kañan (10 Lita) kajojo minit		Topar kōmbani eo ñan kajitōk onean <a href="mailto:WaterCare@Kineticopro.com">WaterCare@Kineticopro.com</a> <a href="tel:1-800-321-5022">1-800-321-5022</a>

Kömbani	PFAS Liklik Jemānāe	Kain Liklik	Onean kein Liklik	Jikejuul in Joñan Aitok in an Kein Liklik Mour	Joñan an tor dān	Kakāāl Onean kein Liklik	Jabdewōt bar Kajitōk
ZeroWater <a href="#">5-Alen Liklik Dān ilo Pija &amp; Nien Dān ko jot - Enno Nāmen Aibōj – ZeroWater</a> (ilo Kajin Pälle)	5-Alen	Ran-Counter kein jermal ko (joñan eo jān 7-40 cup pijja) 	\$24-\$75	25-40 kaļan (95-151 Lita) ekkar ñan joñan PFAS ilo aibōj	6.5 ounce (192 mL) ilo kajojo minit (rumij).	\$90 ñan juōn 6-kōbban kein liklik	Onean ko rej diklak ñan kein liklik ilo eloñ alen wia
Multipure <a href="#">lumin Bojet Kein Liklik Dān - Aquaperform   Multipure</a> (ilo Kajin Pälle)	Aquaperform MP880	lumin Bojet akō Ran Counter Kein Liklik 	\$590	600 kaļan (2271 Lita)	1 kaļan (3.7 Lita) kajojo minit	\$145	Māroñ kakāāl em jabdewōt ien ej jorāān, onean ko jōt rej pedped ion kain kein liklik eo emōj wiaki
Multipure <a href="#">Aqualuxe - Mijin in Liklik Dān eo Elap an Eman   Multipure</a> (ilo Kajin Pälle)	Aqualuxe	lumin Bojet akō Ran Counter Kein Liklik 	\$1250	500 kaļan (1893 Lita)	3/4 kaļan (2.8 Lita) kajojo minit	\$175	Māroñ kakāāl em jabdewōt ien ej jorāān, onean ko jōt rej pedped ion kain kein liklik eo emōj wiaki

## Reverse Osmosis Kelet ko (Boin-in-Jerbal Kein Liklik)

Ejelak reverse osmosis (RO, karol dān) ej kein liklik ko rej kamol jān NSF ñan PFOA/PFOS diklak, akō ekatak māke lak ej kwalok RO kein liklik ko aer eman ñan jolak eloñ kein PFAS. Ilo ijin ilal ewōr waanjoñak ko ñan RO kein liklik ilo mōn wia eo. Lale bwe RO kein liklik ej pinej an PFAS deļoñ ilowaan dān jān bojet akō jilkinlak PFAS eo emōj pinej e ñan septic tank akō jikin an dān duoļlak im PFAS rej māroñ in deļoñ e pelakim. RO emāroñ in bar kakure dān. Ekka an, jilu ñan emen kaļan in aibōj walal lak ñan kajojo juōn kaļan ej liklik.

Kōmbani	PFAS Liklik Jemānāe	Kain Liklik	Onean kein Liklik	Jikejuul in Joñan Aitok in an Kein Liklik Mour	Joñan an tor dān	Kakāāl Jikejuul in Joñan Aitok in an Kein Liklik Mour	Jabdewōt bar Kajitōk
A.O Smith <a href="#">Kein Liklik Dān ñan Bojet   A. O. Smith (aosmithatlowes.com)</a> (ilo Kajin Pālle)	AO-US-RO-4000	lumin Bojet eo.	\$249	Kein liklik eo ej māroñ in jermal ñan 365 kaļan (1382 Lita) ak 6 allōñ ko, ekka an pād 1 yiiō	½ kaļan (1.9 Lita) kajojo minit	Kein liklik: \$100 Kein jermal ko ie: \$100	2 yiiō ien emāroñ in kakāāl ñe ej jorāān
A.O Smith <a href="#">Erreo Karol Dān ñan Mokta kein Liklik   A. O. Smith (aosmithatlowes.com)</a> (ilo Kajin Pālle)	AO-US-RO-MB-4000	lumin Bojet eo	\$289	Kein liklik eo ej māroñ in jermal ñan 365 kaļan (1382 Lita) ak 6 allōñ ko, ekka an pād 1 yiiō	½ kaļan (1.9 Lita) kajojo minit	Kein liklik: \$100 Kein jermal ko ie: \$100	2 yiiō ien emāroñ in kakāāl ñe ej jorāān RO Kein Jermal eo ej kajur lak kin Microbial
Aquasana <a href="#">Karol Dān eo ñan Mokta lumin Bojet Kein Liklik Dān in Idaak   Aquasana</a> (ilo Kajin Pālle)	AQ-RO-3.55	lumin Bojet eo	\$360	Kein liklik eo ej māroñ in jermal ñan 365 kaļan (1382 L) ak 6 allōñ ko, ekka an pād 1 yiiō		Kein liklik: \$70 Kein jermal ko ie: \$60 Kein kakajur: \$40	2 yiiō ien emāroñ in kakāāl ñe ej jorāān
<a href="#">Kein Liklik Dān Mōkta ilo an laplok Kōjbarok</a>	ERO – 385	lumin Bojet eo	\$1,150 ñan likit	Kein liklik eo ej māroñ in jermal ñan 6-12 alloñ, ekka an pād 3-5 yiiō	50 kalan kajojo raan	Kein liklik \$51 Kein jermal koi e: \$180	



Ñan kajitōk bwe ren lewōj peba in ilo bar juon wāwein, kwōn kallōk 1-800-525-0127. Armej ro rej jarroñroñ ren kallōk 711 (Washington Relay) ak email [civil.rights@doh.wa.gov](mailto:civil.rights@doh.wa.gov).