

Data tables

1. Proportion of adults (≥ 18 years) who visited a dentist in the previous 12 months, 2004 BRFSS.

Demographics	Dental visit in previous year	
	United States (%)	Washington (%) ^d
TOTAL	70.3	70.0 (69.1-70.9)
Race and ethnicity		
White	72.2	71.1 (70.2-72.0)
Black or African American	63.8	66.5 (60.3-72.8)
Asian or Pacific Islander	63.5	69.2 (63.2-75.3)
American Indian or Alaska Native	NA	61.4 (54.3-68.7)
Hispanic or Latino	63.5	60.0 (56.2-63.8)
Not Hispanic or Latino	NA	70.9 (70.0-71.8)
Gender		
Female	72.8	71.8 (70.8-72.9)
Male	67.7	68.2 (66.7-69.6)
Education level (persons aged 25 years and over)		
Less than high school	51.0	51.5 (48.1-54.9)
High school graduate	65.7	62.0 (60.1-63.9)
At least some college	73.0	75.5 (74.5-76.5)

2. Length of time since last dental visit, 2004 BRFS.

Demographics	Time since last dental visit				
	Past year (95% CI)	Past 2 years (95% CI)	Past 5 years (95% CI)	5+ years (95% CI)	Never (95% CI)
Gender					
Male	68.2 (66.7-69.6)	12.9 (11.9-14.0)	9.2 (8.3-10.1)	9 (8.1-9.8)	0.7 (0.4-1.0)
Female	71.8 (70.8-72.9)	11.6 (10.8-12.3)	8.3 (7.6-8.9)	7.8 (7.2-8.4)	0.6 (0.4-0.8)
Race and ethnicity					
White	71.1 (70.2-72.0)	11.8 (11.1-12.4)	8.6 (8.0-9.1)	8.3 (7.8-8.8)	0.2 (0.1-0.3)
Black/AA	66.5 (60.2-72.8)	12.8 (8.3-17.4)	8 (4.6-11.4)	11.3 (7.3-15.3)	§
Asian	69.2 (63.2-75.3)	12.8 (8.4-17.2)	10.7 (6.1-15.4)	6.1 (3.3-8.8)	§
Native Hawaiian/Other Pacific Islander	69 (58.3-79.7)	13 (6.1-19.8)	§	§	§
American Indian	61.5 (54.3-68.7)	15.3 (10.4-20.2)	13.4 (8.1-18.7)	9.4 (5.5-13.3)	§
Other	56.7 (51.9-61.6)	17.1 (13.5-20.7)	9.7 (6.7-12.7)	9.7 (6.7-12.7)	6.7 (4.0-9.5)
Hispanic	60 (56.2-63.8)	15.8 (13.1-18.5)	9.6 (7.4-11.9)	9.8 (7.3-12.2)	4.9 (3.0-6.8)
Non-Hispanic	70.9 (70.0-71.8)	12 (11.3-12.6)	8.7 (8.1-9.2)	8.2 (7.7-8.7)	0.3 (0.2-0.4)
Age					
18-24	67.7 (64.6-70.8)	16 (13.6-18.4)	10 (7.9-12.0)	4.3 (3.1-5.6)	2 (1.0-3.1)
25-34	64.5 (62.2-66.9)	15 (13.3-16.8)	10.8 (9.2-12.4)	8.8 (7.4-10.1)	0.9 (0.4-1.3)
35-44	69.5 (67.5-71.4)	13.2 (11.8-14.6)	9.7 (8.4-10.9)	7.4 (6.3-8.6)	§
45-54	75.3 (73.6-77.0)	10.9 (9.6-12.1)	7.3 (6.3-8.3)	6.2 (5.2-7.2)	§
55-64	74 (72.0-76.0)	9.2 (8.0-10.4)	7.5 (6.3-8.6)	9 (7.5-10.4)	§
65-74	71.5 (69.2-73.9)	8.1 (6.7-9.5)	6.8 (5.6-8.1)	13.2 (11.4-15.0)	§
75+	66.3 (63.7-68.9)	9.6 (7.9-11.3)	7 (5.7-8.3)	16.6 (14.5-18.6)	§
Smoking status					
Not at risk	73.3 (72.3-74.2)	11.5 (10.8-12.2)	7.8 (7.2-8.3)	6.8 (6.3-7.3)	0.6 (0.5-0.8)
At risk	56.3 (54.1-58.6)	15.4 (13.8-17.0)	13.1 (11.4-14.7)	14.6 (13.1-16.2)	§
Income					
Less than \$20K	49.6 (46.8-52.3)	16.3 (14.3-18.4)	14.4 (12.5-16.2)	17.1 (15.1-19.1)	2.6 (1.5-3.8)
\$20K-50K	63.5 (62.0-64.9)	14.5 (13.4-15.6)	10.6 (9.6-11.6)	11 (10.1-12.0)	0.4 (0.3-0.6)
\$50K+	82.5 (81.2-83.7)	9.1 (8.1-10.1)	5.2 (4.5-6.0)	3.1 (2.6-3.7)	§
Education					
Less than high school	51.5 (48.1-54.9)	14.1 (11.9-16.3)	14.7 (12.2-17.1)	15.7 (13.3-18.0)	4.1 (2.4-5.7)
High school	62 (60.1-63.9)	14.1 (12.7-15.4)	10.9 (9.6-12.1)	12.5 (11.3-13.8)	0.5 (0.3-0.8)
More than high school					

§ Relative standard error (RSE) >30%, therefore data too unreliable to report.

3. Length of time since last teeth cleaning among adults, 2004 BRFSS.

Demographics	Time since last teeth cleaning				
	Past Year (95% CI)	Past 2 years (95% CI)	Past 5 years (95% CI)	5+ years (95% CI)	Never (95% CI)
Gender					
Male	67.3 (65.9-68.8)	13.1 (12.0-14.2)	10.0 (9.1-11.0)	8.8 (7.9-9.6)	0.8 (0.5-1.1)
Female	71.2 (70.1-72.3)	12.7 (11.9-13.5)	8.3 (7.7-9.0)	7.1 (6.5-7.7)	0.7 (0.5-0.9)
Race and ethnicity					
White	70.4 (69.4-71.3)	12.2 (11.5-12.9)	8.9 (8.3-9.5)	8.0 (7.4-8.5)	0.5 (0.4-0.6)
Black/AA	61.4 (54.9-68.0)	17 (12.1-21.9)	7.9 (4.1-11.7)	12.9 (8.5-17.3)	§
Asian	67.8 (61.6-74.0)	13.5 (9.0-18.1)	13.3 (8.3-18.2)	4.5 (2.3-6.7)	§
Native Hawaiian/ Other Pacific Islander	68.6 (57.7-79.5)	12.1 (5.3-19.0)	§	§	§
American Indian	57.5 (49.8-65.2)	14.1 (9.4-18.8)	13.4 (7.7-19.1)	12.7 (7.6-17.8)	§
Other	59.2 (54.2-64.2)	21.0 (16.7-25.3)	9.6 (6.7-12.6)	6.7 (4.5-9.0)	3.5 (1.7-5.3)
Hispanic	60.6 (56.7-64.5)	17.9 (14.8-21.0)	11.0 (8.5-13.4)	7.4 (5.4-9.4)	3.1 (1.6-4.6)
Non-Hispanic	70.0 (69.1-70.9)	12.5 (11.8-13.2)	9.0 (8.4-9.6)	8.0 (7.4-8.5)	0.5 (0.4-0.7)
Age					
18-24	66.0 (62.9-69.2)	17.6.0 (15.0-20.1)	10.6 (8.5-12.8)	5.3 (3.9-6.7)	§
25-34	62.5 (60.2-64.9)	14.9 (13.1-16.7)	11.6 (10.0-13.2)	10.1 (8.7-11.5)	0.9 (0.4-1.4)
35-44	67.1 (65.1-69.1)	13.7 (12.3-15.2)	10.2 (8.9-11.5)	8.3 (7.2-9.5)	§
45-54	73.0 (71.2-74.8)	11.5 (10.2-12.8)	7.9 (6.8-8.9)	7.1 (6.1-8.2)	0.5 (0.3-0.7)
55-64	75.2 (73.1-77.3)	10.4 (8.9-11.8)	6.7 (5.6-7.8)	7.3 (5.9-8.7)	0.5 (0.2-0.7)
65-74	75.7 (73.2-78.1)	8.1 (6.6-9.6)	7.2 (5.6-8.7)	7.8 (6.3-9.4)	1.2 (0.6-1.9)
75+	72.9 (70.2-75.6)	9.0 (7.3-10.7)	6.7 (5.2-8.2)	9.3 (7.6-11.2)	2.0 (1.2-2.8)
Smoking status					
Not at risk	73.1 (72.1-74.0)	12.2 (11.5-13.0)	8.1 (7.5-8.7)	6.0 (5.5-6.5)	0.6 (0.4-0.8)
At risk	52.7 (50.3-55.0)	15.8 (14.2-17.5)	14.1 (12.3-15.9)	16.1 (14.4-17.9)	1.3 (0.9-1.8)
Income					
Less than \$20K	48.5 (45.6-51.4)	18.3 (16.0-20.7)	14.9 (12.8-17.0)	16.4 (14.3-18.4)	1.9 (1.2-2.6)
\$20K-50K	62.5 (60.9-64.0)	14.5 (13.3-15.6)	11.3 (10.2-12.3)	10.8 (9.8-11.8)	1.0 (0.8-1.3)
\$50K+	81.0 (79.7-82.3)	10.1 (9.0-11.1)	5.6 (4.9-6.4)	3.2 (2.7-3.8)	§
Education					
Less than HS	52.5 (48.8-56.2)	16.3 (13.5-19.1)	14.3 (11.6-17.0)	13.1 (10.7-15.5)	3.7 (2.5-5.0)
HS	60.9 (58.9-62.9)	14.3 (12.9-15.7)	11.8 (10.4-13.2)	11.9 (10.6-13.3)	1.0 (0.6-1.4)
More than HS	74.2 (73.2-75.2)	12.0 (11.2-12.8)	7.6 (7.0-8.3)	5.9 (5.4-6.4)	0.3 (0.2-0.4)

§ Relative standard error (RSE) >30%, therefore data too unreliable to report.

4. Proportion of adults (≥ 18 years) with tooth loss by selected demographic and risk factor variables, 2004 BRFSS.

Demographics / risk factors	Number of teeth lost §			
	None (95% CI)	5 or less (95% CI)	6+ (95% CI)	All (95% CI)
Male	63.5 (62.1-64.9)	25.2 (23.9-26.4)	8.0 (7.3-8.7)	3.3 (2.9-3.8)
Female	62.2 (61.1-63.3)	24.4 (23.3-25.4)	8.6 (8.0-9.1)	4.9 (4.4-5.3)
Race and ethnicity				
White	62.6 (61.6-63.5)	24.4 (23.5-25.2)	8.7 (8.2-9.2)	4.4 (4.0-4.7)
Black/AA	57.8 (51.2-64.4)	28.9 (22.7-35.1)	9.8 (6.4-13.3)	§
Asian	67.9 (61.9-73.8)	27.3 (21.6-33.1)	§	§
Native Hawaiian/Other Pacific Islander	60.7 (48.8-72.6)	32.5 (21.1-43.9)	§	§
American Indian	54.7 (47.1-62.2)	29.3 (22.3-36.4)	11.8 (7.7-16.0)	4.2 (2.1-6.3)
Other	66.6 (62.1-71.0)	27.4 (23.3-31.6)	4.2 (2.3-6.0)	§
Hispanic	67.8 (64.2-71.3)	25.1 (21.8-28.4)	4.7 (3.3-6.1)	2.4 (1.2-3.6)
Non-Hispanic	62.4 (61.5-63.3)	24.8 (23.9-25.6)	8.6 (8.1-9.1)	4.2 (3.9-4.5)
Age				
18-24	88.3 (86.1-90.6)	11.1 (8.9-13.3)	§	§
25-34	79.9 (78.0-81.8)	17.7 (15.9-19.6)	2.0 (1.4-2.7)	§
35-44	70.8 (68.9-72.6)	24.3 (22.6-26.1)	3.9 (3.1-4.7)	1.0 (0.5-1.4)
45-54	59.3 (57.4-61.3)	30.1 (28.2-31.9)	8.4 (7.3-9.4)	2.2 (1.7-2.8)
55-64	43.8 (41.5-46.0)	32.6 (30.4-34.7)	15.6 (14.0-17.3)	8.0 (6.8-9.3)
65-74	32.4 (29.9-34.9)	31.5 (29.0-34.0)	21.9 (19.6-24.1)	14.2 (12.4-16.0)
75+	24.7 (22.2-27.2)	33.1 (30.4-35.8)	24.2 (21.7-26.6)	18.0 (15.9-20.2)
Smoking Status				
Not at risk	65.4 (64.5-66.4)	23.7 (22.9-24.6)	7.3 (6.8-7.8)	3.6 (3.2-3.9)
At risk (Current smokers)	52.4 (50.1-54.6)	28.9 (36.9-31.0)	12.3 (11.0-13.6)	6.4 (5.5-7.3)
Income				
Less than \$20K	51.2 (48.5-54.0)	26.0 (23.6-28.3)	13.9 (12.4-15.5)	8.9 (7.6-10.1)
\$20K-50K	56.6 (55.1-58.0)	27.7 (26.3-29.0)	10.5 (9.7-11.4)	5.3 (4.7-5.9)
\$50K+	72.8 (71.4-74.1)	21.7 (20.4-23.0)	4.6 (4.0-5.2)	0.9 (0.7-1.1)
Maternal education				
Less than HS	51.4 (48.0-54.8)	28.2 (25.2-31.2)	10.8 (9.1-12.5)	9.6 (8.0-11.2)
HS	53.6 (51.6-55.5)	28.9 (27.1-30.7)	10.8 (9.7-11.8)	6.8 (6.0-7.5)
More than HS	67.8 (66.8-68.9)	22.8 (21.8-23.7)	7.0 (6.5-7.5)	2.4 (2.1-2.7)

§ Relative Standard Error (RSE) >30%, therefore data too unreliable to report.

5. Treatment need and dental visit among pregnant women, 2001-03 PRAMS.

Problem: "I needed to see a dentist for a problem."

Went: "I went to a dentist or dental clinic."

Demographics	No problem / Didn't go (95% CI)	No problem / Went (95% CI)	Problem / Didn't go (95% CI)	Problem / Went (95% CI)
Race and ethnicity				
Hispanic	42.7 (39.5-46.1)	20.1 (17.6-22.8)	8.0 (6.3-10.0)	29.2 (26.3-32.4)
African American	46.2 (42.5-49.8)	22.9 (20.0-26.0)	10.7 (8.7-13.2)	20.3 (17.5-23.3)
Native American	44.0 (40.2-47.8)	16.0 (13.4-18.9)	16.5 (13.8-19.6)	23.6 (20.6-26.8)
Asian /Pacific Islander	46.2 (43-49.4)	26.6 (24.0-29.4)	7.0 (5.5-8.8)	20.3 (17.8-23.0)
White	42.8 (40.0-45.7)	33.0 (30.4-35.8)	8.1 (6.6-9.8)	16.0 (14-18.3)
Age				
15-17	43.7 (31.9-56.3)	24.0 (14.6-36.9)	§	20.3 (11.5-33.4)
18-19	50.7 (42.1-59.3)	15.6 (10.2-23.1)	14.0 (8.8-21.4)	19.8 (13.7-27.6)
<20	48.8 (41.8-55.9)	18.2 (13.2-24.5)	13.2 (9.0-19.0)	19.8 (14.6-26.3)
20-24	47.5 (43.2-51.8)	19.1 (16.0-22.6)	11.8 (9.3-15.0)	21.7 (18.4-25.3)
25-29	43.7 (39.7-47.8)	28.2 (24.6-32.0)	9.1 (7.0-11.8)	19.0 (16.1-22.2)
Age				
30-34	39.5 (35.5-43.7)	38.3 (34.3-42.5)	5.6 (4.0-7.7)	16.6 (13.9-19.7)
35+	38.8 (33.8-44.1)	41.2 (36.1-46.5)	2.8 (1.7-4.7)	17.1 (13.6-21.3)
Medicaid status				
TANF	51.1 (44.9-57.2)	9.9 (6.9-14.1)	16.5 (12.4-21.5)	22.6 (17.8-28.2)
S-Women	47.1 (42.2-52.1)	16.6 (13.4-20.5)	14.9 (11.6-18.9)	21.4 (17.6-25.7)
Non-Citizens	35.9 (31.6-40.5)	16.2 (13.2-19.6)	7.6 (5.1-11.2)	40.4 (36.0-44.9)
Non-Medicaid	41.1 (38.3-43.9)	40.4 (37.7-43.2)	4.5 (3.5-5.8)	14.0 (12.2-16.0)
RUCA				
Rural	45.4 (41.8-49.0)	26.3 (23.2-29.7)	9.1 (7.2-11.4)	19.1 (16.6-21.9)
Urban	42.0 (39.5-44.6)	31.6 (29.2-34.0)	7.8 (6.5-9.3)	18.6 (16.8-20.7)

§ Relative Standard Error (RSE) >30%, therefore data too unreliable to report.

6. Proportion of adolescents who had a dental visit within the past year, 2004 HYS.

Grade / demographics	Dental visit in previous year (95% CI)
Grades 8, 10 and 12	
Grade 8	72.2 (69.4-74.8)
Grade 10	74.1 (71.3-76.7)
Grade 12	73.3 (70.6-75.9)
Gender (grade 10)	
Male	72.1 (68.5-75.3)
Female	75.9 (73.3-78.3)
Race and ethnicity (grade 10)	
White	77.9 (75.5-80.1)
Black	56.9 (50.3-63.3)
American Indian /Alaska Natives	65.2 (54.5-74.5)
Asian	73.4 (64.8-80.6)
Hispanic	59.4 (54.4-64.2)
Hawaiian/ Pacific Islander	60.7 (48.2-71.9)
Other	67.4 (59.4-74.5)
More than one race	76.2 (69.9-81.6)

7. Length of time since last dental visit and smoking status among adolescents, 2004 HYS.

Grade/ length of time since last dental visit	Smoking status	
	Non-smoker (%)	Smoker (%)
Grade 8		
During past year	72.7 (69.8-75.4)	66.0 (60.1-71.4)
1-2 years	10.3 (9.1-11.6)	9.9 (7.0-13.9)
2+ years	4.9 (4.0-6.0)	7.3 (4.7-11.0)
Never	2.2 (1.7-2.8)	5.3 (3.4-8.2)
Unsure	10.0 (8.7-11.5)	11.6 (8.2-16.0)
Grade 10		
During past year	75.8 (73.0-78.3)	63.1 (58.7-67.3)
1-2 years	10.6 (9.4-12.0)	15.9 (13.3-19.0)
2+ years	5.7 (4.8-6.7)	10.3 (7.5-13.9)
Never	2.0 (1.5-2.6)	2.5 (1.5-4.2)
Unsure	6.0 (5.0-7.2)	8.2 (5.6-11.8)
Grade 12		
During past year	75.1 (72.0-77.9)	65.9 (61.6-70.0)
1-2 years	12.2 (10.5-14.1)	16.9 (14.0-20.1)
2+ years	7.2 (5.7-9.0)	9.2 (6.8-12.3)
Never	2.1 (1.5-2.7)	3.4 (2.1-5.4)
Unsure	3.5 (2.7-4.6)	4.7 (3.1-6.9)

8. Length of time since last dental visit and smokeless tobacco use among adolescents, 2004 HYS.

Grade/ length of time since last dental visit	Smokeless tobacco	
	Do not use (%)	Use (%)
Grade 8		
During past year	72.4 (69.5-75.1)	64.5 (54.4-73.5)
1-2 years	10.1 (9.0-11.4)	14.0 (7.6-24.3)
2+ years	5.0 (4.2-6.0)	§
Never	2.3 (1.9-2.9)	§
Unsure	10.1 (8.8-11.6)	§
Grade 10		
During past year	74.2 (71.5-76.8)	71.7 (62.3-79.6)
1-2 years	11.4 (10.2-12.7)	8.3 (4.9-13.6)
2+ years	6.3 (5.3-7.3)	6.9 (3.8-12.1)
Never	1.9 (1.5-2.5)	§
Unsure	6.2 (5.1-7.5)	9.0 (5.0-15.5)
Grade 12		
During past year	73.6 (70.7-76.3)	70.2 (63.5-76.1)
1-2 years	13.0 (11.4-14.7)	14.4 (10.2-19.8)
2+ years	7.5 (6.1-9.1)	8.3 (5.3-12.8)
Never	2.1 (1.6-2.8)	5.0 (2.9-8.5)
Unsure	3.9 (3.1-4.8)	§

§ Relative standard error (RSE) >30%, therefore data too unreliable to report.

9. Overview of oral health indicators among children (0-17years), 2003 NSCH.

Indicator	Percent (95% CI)
Condition of child's teeth	
Excellent	44.2 (41.5-47.0)
Very good	27.1 (24.7-29.6)
Good	19.1 (17.0-21.4)
Fair	7.2 (5.8-9.0)
Poor	2.2 (1.5-3.4)
Time since dentist was last seen	
Never	11.3 (9.7-13.0)
Less than 1 year	81.8 (79.6-83.9)
> 1 year & < 2 years	5.0 (3.9-6.4)
> 2 years & < 5 years	1.8 (1.1-2.9)
> 5 years	§
If in last year's visit, child was seen for routine prevention	
Yes	94.0 (92.2-95.3)
No	5.8 (4.4-7.5)
In the last year, child needed routine prevention	
Yes	22.0 (12.4-36.1)
No	78.0 (64.0-87.6)

Note: The options of Refused, Don't Know, etc have not been shown in these tables.

§ Relative standard error (RSE) >30%, therefore data too unreliable to report.

10. Parents' perception of the condition of their child's teeth, 2003 NSCH.

Demographics	Condition of child's teeth				
	Excellent (95% CI)	Very good (95% CI)	Good (95% CI)	Fair (95% CI)	Poor (95% CI)
Age					
Less than 5 years	54.0 (48.2-59.8)	25.9 (21.1-31.4)	13.6 (10.0-18.3)	§	§
5-9 Years	43.2 (37.8-48.7)	24.7 (20.4-29.6)	21.4 (17.4-26.1)	8.0 (5.4-11.8)	§
10-14 Years	35.8 (30.9-41.0)	33.0 (28.4-38.0)	20.5 (16.7-25.0)	7.5 (5.2-10.8)	§
15-17 Years	48.5 (42.4-54.7)	22.1 (17.3-27.8)	19.7 (15.2-25.2)	7.9 (5.0-12.2)	§
Race					
White	46.2 (43.1-49.4)	27.2 (24.4-30.0)	17.8 (15.5-20.3)	6.6 (5.0-8.6)	2.2 (1.3-3.7)
African American	39.6 (24.8-56.6)	31.8 (19.4-47.5)	§	§	§
Multi-racial	39.8 (29.9-50.7)	26.9 (18.5-37.3)	28.1 (19.1-39.3)	§	§
Other	43.5 (31.5-56.2)	28.2 (18.7-40.3)	18.7 (10.6-30.8)	§	§
Maternal education					
Less than 12 years	21.4 (12.6-33.9)	25.7 (16.3-38.0)	25.3 (16.7-36.7)	19.5 (11.1-31.9)	§
12 years	34.3 (27.6-41.8)	25.4 (19.5-32.3)	27.9 (21.7-35.1)	8.7 (5.7-13.1)	§
More than 12 years	48.4 (45.3-51.5)	27.6 (24.9-30.5)	16.5 (14.3-18.9)	6.0 (4.5-7.9)	1.5 (0.9-2.5)
Hispanic					
Yes	31.0 (24.2-38.6)	20.4 (14.6-27.8)	24.1 (18.1-31.3)	20.9 (14.9-28.6)	§
No	46.0 (43-49)	27.9 (25.3-30.7)	18.4 (16.2-20.9)	5.6 (4.2-7.3)	2.0 (1.2-3.4)
Poverty level					
<100% FPL	26.1 (19.5-33.8)	24.9 (18.3-32.9)	25.5 (19.0-33.3)	16.1 (10.9-23.0)	§
100-185% FPL	41.3 (34.2-48.7)	21.4 (16.1-27.7)	24.2 (18.6-30.8)	10.9 (6.9-16.7)	§
185-200% FPL	33.4 (21.7-47.6)	26.8 (16.4-40.6)	21.8 (12.6-35.0)	§	§
200-400% FPL	45.6 (40.9-50.4)	30.4 (26.2-35.0)	17.2 (13.9-21.1)	5.4 (3.6-8.1)	§
400+% FPL	54.1 (49.6-58.6)	28.0 (24.1-32.3)	14.8 (11.9-18.3)	2.2 (1.4-3.6)	§

§ Relative standard error (RSE) >30%, therefore data too unreliable to report.

11. Length of time since last dental visit among children (0-17 years), 2003 NSCH.

Demographics	Time since last dental visit				
	Never (95% CI)	<1 year (95% CI)	1 - 2 years (95% CI)	2 - 5 years (95% CI)	>5 years (95% CI)
Age					
Less than 5 years	44.4 (38.8-50.2)	52.7 (47.0-58.5)	§	§	§
5-9 Years	4.7 (2.9-7.5)	90.5 (87.1-93.1)	4.0 (2.5-6.4)	§	§
10-14 Years	§	89.4 (85.4-92.4)	7.0 (4.7-10.2)	§	§
15-17 Years	§	90.1 (84.9-93.6)	6.2 (3.4-10.9)	§	§
Race					
White	11.0 (9.3-13.0)	82.5 (80.0-84.7)	4.9 (3.6-6.5)	1.6 (0.9-2.7)	§
Black	9.1 (3.6-21.2)	83.0 (69.9-91.1)	§	§	§
Multiracial	16.1 (9.5-26.0)	79.8 (69.4-87.3)	§	§	§
Other	§	78.5 (66.0-87.3)	§	§	§
Maternal education					
Less than 12 years	§	84.1 (73.6-90.9)	§	§	§
12 years	13.9 (9.7-19.5)	75.3 (68.2-81.3)	7.5 (4.3-12.9)	§	§
More than 12 years	10.9 (9.3-12.9)	83.3 (80.9-85.4)	4.3 (3.2-5.7)	1.4 (0.8-2.4)	§
Hispanic					
Yes	15.7 (10.6-22.7)	78.0 (70.5-84.0)	§	§	§
No	10.7 (9.1-12.6)	82.4 (80.0-84.5)	4.9 (3.7-6.4)	1.9 (1.2-3.2)	0.1 (0.01-0.7)
Poverty level					
<100% FPL	15.9 (10.9-22.5)	72.0 (64.2-78.7)	8.1 (4.6-13.8)	§	§
100-185% FPL	11.7 (8.2-16.5)	77.6 (71.1-83)	6.8 (4.0-11.3)	§	§
185-200% FPL	§	83.7 (71.5-91.3)	§	§	§
200-400% FPL	10.1 (7.6-13.2)	84.0 (80.2-87.3)	4.7 (2.9-7.5)	§	§
400+% FPL	11.5 (9.0-14.6)	86.1 (82.8-88.8)	2.2 (1.3-3.7)	§	§

§ Relative standard error (RSE) >30%, therefore data too unreliable to report.

12. Proportion of children (0-17years) receiving routine preventive care within the past year, 2003 NSCH.

Demographics	Received routine preventive care	
	Yes (95% CI)	No (95% CI)
Age		
Less than 5 years	93.8 (89.0-96.6)	§
5-9 Years	95.4 (92.5-97.2)	4.5 (2.8-7.4)
10-14 Years	93.5 (90.0-95.9)	5.8 (3.6-9.3)
15-17 Years	92.6 (87.6-95.7)	7.4 (4.3-12.4)
Race		
White	94.3 (92.2-95.8)	5.5 (4.0-7.5)
Black	95.4 (82.6-98.9)	§
Multiracial	95.3 (88.7-98.1)	§
Other	96.1 (85.7-99.0)	§
Maternal education		
Less than 12 years	81.7 (69.1-89.9)	§
12 years	84.6 (77.5-89.8)	14.7 (9.6-21.7)
More than 12 years	96.9 (95.5-97.9)	3.1 (2.1-4.5)
Hispanic		
Yes	85.1 (77.5-90.5)	13.6 (8.5-21.0)
No	95.0 (93.2-96.3)	4.9 (3.6-6.7)
Poverty level		
<100% FPL	84.5 (74.8-90.9)	14.3 (8.1-23.9)
100-185% FPL	90.3 (84.8-94.0)	9.0 (5.5-14.4)
185-200% FPL	93.1 (80.0-97.8)	§
200-400% FPL	95.9 (93.5-97.4)	4.1 (2.6-6.6)
400+% FPL	97.5 (95.3-98.7)	§

§ Relative standard error (RSE) >30%, therefore data too unreliable to report.

13. Proportion of adults (≥ 18 years) with a dental visit and teeth cleaning with the past year by county, 2004 BRFSS.

Counties	Teeth cleaning visit (<1 year)	Dental visit (<1 year)
Adams	69.4 (60.2-77.3)	70.2 (61.6-77.6)
Asotin	61.3 (53.1-68.8)	56.6 (49.2-63.8)
Benton	71.4 (64.9-77.1)	74.2 (68.1-79.4)
Chelan	65.5 (58.4-71.9)	63.2 (56.3-69.6)
Clallam	62.6 (55.5-69.2)	64.5 (57.7-70.7)
Clark	70.6 (67.2-73.9)	72.4 (69.1-75.5)
Columbia	60.4 (46.6-72.7)	69.4 (57.8-79.0)
Cowlitz	54.5 (47.1-61.7)	57.3 (50.4-63.9)
Douglas	64.2 (56.7-71.1)	66.2 (59.0-72.8)
Ferry	56.2 (48.0-64.1)	57.7 (49.8-65.2)
Franklin	65.7 (56.5-73.9)	68.0 (60.1-75.0)
Garfield	73.4 (63.5-81.4)	73.1 (63.9-80.7)
Grant	64.6 (56.7-71.8)	62.1 (54.8-68.9)
Grays Harbor	56.1 (48.7-63.2)	57.3 (50.4-64.0)
Island	73.4 (67.1-78.8)	72.8 (66.5-78.3)
Jefferson	66.4 (58.3-73.6)	66.9 (59.1-73.9)
King	73.8 (71.8-75.7)	74.1 (72.1-75.9)
Kitsap	69.8 (65.9-73.3)	70.3 (66.6-73.7)
Kittitas	54.1 (45.7-62.2)	59.0 (50.9-66.7)
Klickitat	63.4 (55.3-70.9)	65.4 (58.0-72.1)
Lewis	58.3 (51.2-65.1)	57.1 (50.5-63.5)
Lincoln	66.3 (57.6-74.0)	63.1 (53.6-71.7)
Mason	60.9 (52.9-68.3)	60.6 (52.9-67.7)
Okanogan	55.6 (47.3-63.5)	57.4 (49.7-64.6)
Pacific	59.6 (51.7-67.0)	58.2 (50.7-65.3)
Pend Oreille	54.0 (43.2-64.5)	60.7 (51.3-69.4)
Pierce	68.9 (66.0-71.6)	70.5 (67.7-73.1)
San Juan	69.8 (61.7-76.9)	72.0 (64.0-78.7)
Skagit	70.9 (64.4-76.6)	72.6 (66.3-78.0)
Skamania	60.0 (48.6-70.4)	66.9 (58.2-74.6)
Snohomish	67.5 (64.6-70.4)	69.1 (66.2-71.8)
Spokane	71.3 (67.9-74.5)	70.7 (67.4-73.8)
Stevens	61.9 (52.7-70.3)	59.6 (50.5-68.1)
Thurston	72.2 (68.9-75.3)	73.5 (70.4-76.4)
Wahkiakum	61.0 (43.0-76.4)	62.8 (45.7-77.3)
Walla Walla	67.5 (60.4-73.8)	71.3 (64.6-77.1)
Whatcom	66.8 (60.3-72.6)	66.9 (60.7-72.6)
Whitman	74.3 (67.1-80.3)	74.9 (68.0-80.7)
Yakima	59.1 (54.5-63.6)	60.1 (55.7-64.4)
Washington	69.3 (68.3-70.2)	70.0 (69.1-70.9)